



WESTPORT OIL AND GAS COMPANY, L.P.

410 Seventeenth Street #2300 Denver Colorado 80202-4436
Telephone: 303 573 5404 Fax: 303 573 5609

February 1, 2002

Department of the Interior
Bureau of Land Management
2850 Youngfield Street
Lakewood, CO 80215-7093
Attention: Ms. Martha Maxwell

RE: BLM Bond CO-1203
BLM Nationwide Bond 158626364
Surety - Continental Casualty Company
Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.
Assumption Rider - Westport Oil and Gas Company, L.P.

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (2) Assumption Riders, fully executed originals.
Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.
Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.
List of all Federal/BIA/State Leases - Belco/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate contacting the undersigned, should a question arise.

Sincerely,
Westport Oil and Gas Company, L.P.

Debby J. Black
Debby J. Black
Engineer Technician

Encl:



United States Department of the Interior

RECEIVED

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155

FEB 22 2002

DIVISION OF
OIL, GAS AND MINING

In Reply Refer To:

3106

UTU-25566 et al

(UT-924)

FEB 21 2002

NOTICE

Westport Oil and Gas Company L.P. : Oil and Gas
410 Seventeenth Street, #2300 :
Denver Colorado 80215-7093 :

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of Westport Oil and Gas Company, Inc. into Westport Oil and Gas Company, L.P. with Westport Oil and Gas Company, L.P. being the surviving entity.


For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405
UTU-20895
UTU-25566
UTU-43156
UTU-49518
UTU-49519
UTU-49522
UTU-49523



Robert Lopez
Chief, Branch of
Minerals Adjudication

cc: Moab Field Office
Vernal Field Office
MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217
State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114
Teresa Thompson (UT-922)
Joe Incardine (UT-921)

memorandum

Branch of Real Estate Services
Uintah & Ouray Agency

Date: 5 December, 2002

Reply to:
Attn of: Supervisory Petroleum Engineer

Subject: Modification of Utah Division of Oil, Gas and Mining Regulations

To: Director, Utah Division of Oil, Gas and Mining Division: John Baza


We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.

We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate your concern, and hope that these comments are timely enough for consideration in the revision process.



CC: Minerals & Mining Section of RES
Ute Energy & Mineral Resources Department: Executive Director
chrono

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

001

APPLICATION FOR PERMIT TO DRILL OR REENTER



FORM APPROVED
OMB No. 1004-0136
Expires November 30, 2000

1a. Type of Work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. U-01196-E
b. Type of Well: <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		6. If Indian, Allottee or Tribe Name
2. Name of Operator El Paso Production Oil & Gas Company		7. If Unit or CA Agreement, Name and No. Natural Buttes Unit
3A. Address P.O. Box 1148 Vernal, Utah 84078		8. Lease Name and Well No. CIGE #292
3b. Phone No. (include area code) (435)-781-7024		9. API Well No. 43-047-34871
4. Location of Well (Report location clearly and in accordance with any State requirements. *) At surface SESE 149'FSL & 1062'FEL 4423869 Y 39.95659 At proposed prod. Zone 631780 X -109.45723		10. Field and Pool, or Exploratory Natural Buttes
14. Distance in miles and direction from nearest town or post office* 23.7 Miles Southeast of Ouray, Utah		11. Sec., T., R., M., or Blk, and Survey or Area Section 8-T10S-R22E
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 149'	16. No. of Acres in lease 560.00	17. Spacing Unit dedicated to this well N/A
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. Refer to Topo C	19. Proposed Depth 7550'	20. BLM/BIA Bond No. on file WY-3457
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5205'GL	22. Approximate date work will start* Upon Approval	23. Estimated duration To Be Determined

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- Well plat certified by a registered surveyor.
- A Drilling Plan.
- A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office.
- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- Operator certification.
- Such other site specific information and/or plans as may be required by the authorized office.

25. Signature 	Name (Printed/Typed) Sheila Upchego	Date 1/15/2003
Title Regulatory Analyst		
Approved by (Signature) 	Name (Printed/Typed) BRADLEY G. HILL	Date 01-23-03
Title ENVIRONMENTAL SCIENTIST III		

Federal Approval of this Action is Necessary

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.


*(Instructions on reverse)

RECEIVED
JAN 16 2003
DIV. OF OIL, GAS & MINING

EL PASO PRODUCTION OIL & GAS COMPANY

T10S, R22E, S.L.B.&M.

Well location, CIGE #292, located as shown in the SE 1/4 SE 1/4 of Section 8, T10S, R22E, S.L.B.&M. Uintah County, Utah.



LEGEND:


- └─ = 90° SYMBOL
- = PROPOSED WELL HEAD.
- ▲ = SECTION CORNERS LOCATED.

BASIS OF BEARINGS

BASIS OF BEARINGS IS A G.P.S. OBSERVATION.
(NAD 83)
LATITUDE = 39°57'23.84" (39.956622)
LONGITUDE = 109°27'28.75" (109.457986)

BASIS OF ELEVATION

TWO WATER TRIANGULATION STATION LOCATED IN THE NW 1/4 OF SECTION 1, T10S, R21E, S.L.B.&M. TAKEN FROM THE BIG PACK MTN NE, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5238 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Robert J. Hays
REGISTERED LAND SURVEYOR
REGISTRATION NO. 161319
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING
85 SOUTH 200 EAST - VERNAL, UTAH 84078
(435) 789-1017

SCALE 1" = 1000'	DATE SURVEYED: 08-07-02	DATE DRAWN: 08-11-02
PARTY B.B. T.H. D.R.B.	REFERENCES G.L.O. PLAT	
WEATHER HOT	FILE EL PASO PRODUCTION OIL & GAS COMPANY	

CIGE #292
 SE/SE Sec. 8, T10S, R21E
 UTAH COUNTY, UTAH
 U-01196-E

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. **Estimated Tops of Important Geologic Markers:**

<u>Formation</u>	<u>Depth</u>
KB	5220'
Green River	1225'
Wasatch	4360'
Mesaverde	6725'
TD	7550'

2. **Estimated Depths of Anticipated Water, Oil, Gas, or Mineral Formations:**

<u>Substance</u>	<u>Formation</u>	<u>Depth</u>
	Green River	1225'
Gas	Wasatch	4360'
Gas	Mesaverde	6725'
Water	N/A	
Other Minerals	N/A	

3. **Pressure Control Equipment** (Schematic Attached)

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

4. **Proposed Casing & Cementing Program:**

Please see the Natural Buttes Unit SOP.

5. **Drilling Fluids Program:**

Please see the Natural Buttes Unit SOP.

6. **Evaluation Program:**

Please see the Natural Buttes Unit SOP.

7. **Abnormal Conditions:**

Maximum anticipated bottomhole pressure calculated at 7550' TD, approximately equals 3000 psi (calculated at 0.4 psi/foot).

Maximum anticipated surface pressure equals approximately 1350 psi (bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

8. **Anticipated Starting Dates:**

Drilling is planned to commence immediately upon approval of this application.

9. **Variances:**

Please see Natural Buttes Unit SOP.

10. **Other Information:**

Please see Natural Buttes Unit SOP.

CIGE #292
SE/SE Sec. 8, T10S, R2²1E
UINTAH COUNTY, UTAH
U-01196-E

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

An onsite inspection was conducted for the CIGE #292 on 9/12/02, for the subject well.

1. Existing Roads:

Refer to the attached location directions.

Refer to Topo Maps A and B for location of access roads within a 2-mile radius.

2. Planned Access Roads:

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

Approximately 0.3 miles +/- of new access road is proposed. Refer to Topo Map B.

3. Location of Existing Wells Within a 1-Mile Radius:

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities:

Please see the Natural Buttes Unit SOP.

Approximately 2100' of pipeline is proposed. Refer to Topo Map D for the location of the proposed pipeline.

All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) will be excluded. The requested color is Carlsbad Canyon (2.5Y 6/2), a non-reflective earthtone.

5. Location and Type of Water Supply:

Please see the Natural Buttes SOP.

6. Source of Construction Materials:

Please see the Natural Buttes SOP.

7. Methods of Handling Waste Materials:

Please see the Natural Buttes SOP.

Any produced water from the proposed well will be contained in a water tank and will then be hauled by truck to one of the pre-approved disposal sites: RNI, Sec. 5, T9S, R22E, NBU #159, Sec. 35, T9S R21E, Ace Oilfield, Sec. 2, T6S, R20E, MC&MC, Sec. 12, T6S, R19E (*Request is in lieu of filing Form 3160-5, after initial production*).

8. Ancillary Facilities:

Please see the Natural Buttes SOP.

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

As per previous onsite discussion, a 12 mil reserve pit liner with felt will be required.

Location size may change prior to the drilling of the well due to the current rig availability. If the proposed location is not large enough to accommodate the drilling rig. The location will be re-surveyed and a form 3160-5 will be submitted.

10. Plans for Reclamation of the Surface:

Please see the Natural Buttes SOP.

The following seed mixture will be used to reclaim the surface. A total of 12 lbs/acre will be used if the seeds are drilled (24 lbs/acre if the seeds are broadcast). The per acre requirements for *drilled* seed are:

Black Sage	1 lbs.
Shade Scale	5 lbs.
Galleta Grass	3 lbs.
Indian Rice Grass	3 lbs.

11. Surface Ownership:

The well pad and access road are located on lands owned by:

United States of America
Bureau of Land Management
170 South 500 East
Vernal, UT 84078
(435)781-4400

12. Other Information:

A Class III archaeological survey will be submitted when the report becomes available.

This location is not within 460' from the boundary of the Natural Buttes Unit, nor is it within 460' of any non-committed tract lying within the boundaries of the Unit.

13. Lessee's or Operator's Representative & Certification:

Sheila Upchego
Regulatory Analyst
El Paso Production O&G Co.
P.O. Box 1148
Vernal, UT 84078
(435) 781-7024

Scott Palmer
Drilling Manager
El Paso Production O&G Co.
9 Greenway Plaza, Suite 2770
Houston, TX 77046
(713) 420-4850

Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.

El Paso O&G Co. is considered to be the operator of the subject well. El Paso O&G Co. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon leased lands.

The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions that currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed by the Operator, its contractors, and subcontractors in conformity with this plan and the terms and conditions under which it is approved.


Sheila Upchego

1/14/03
Date

EL PASO PRODUCTION OIL & GAS COMPANY
CIGE #292
SECTION 8, T10S, R22E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 6.9 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 5.0 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTH; TURN LEFT AND PROCEED IN A NORTHERLY DIRECTION APPROXIMATELY 0.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST; TURN RIGHT AND PROCEED IN A NORTHEASTERLY DIRECTION APPROXIMATELY 4.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY, THEN SOUTHEASTERLY, THEN EASTERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 5.6 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST; PROCEED IN A SOUTHEASTERLY, THEN NORTHEASTERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 0.8 MILES TO THE BEGINNING OF THE PROPOSED ACCESS ROAD TO THE SOUTHWEST; FOLLOW ROAD FLAGS IN A SOUTHWESTERLY, THEN SOUTHEASTERLY, THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 0.3 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 54.7 MILES.

EL PASO PRODUCTION OIL & GAS COMPANY

CIGE #292

LOCATED IN UINTAH COUNTY, UTAH
SECTION 8, T10S, R22E, S1E.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: NORTHWESTERLY




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: SOUTHWESTERLY



Since 1964

ELS

Uintah Engineering & Land Surveying

85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com

LOCATION PHOTOS

8
MONTH

13
DAY


02
YEAR

PHOTO

TAKEN BY: B.B.

DRAWN BY: P.M.

REVISED: 00-00-00



LEGEND:

○ PROPOSED LOCATION




EL PASO PRODUCTION OIL & GAS COMPANY

CIGE #292

SECTION 8, T10S, R22E, S.L.B.&M.

149' FSL 1062' FEL



Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813


TOPOGRAPHIC
MAP

SCALE: 1:100,000 DRAWN BY: P.M. REVISED: 00-00-00

8 **13** **02**
 MONTH DAY YEAR

A
 TOPO

**R
22
E**



T10S

LEGEND:

- DISPOSAL WELLS
- PRODUCING WELLS
- SHUT IN WELLS
- WATER WELLS
- ABANDONED WELLS
- TEMPORARILY ABANDONED



EL PASO PRODUCTION OIL & GAS COMPANY

CIGE #292
SECTION 8, T10S, R22E, S.L.B.&M.
149' FSL 1062' FEL




Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

**TOPOGRAPHIC
MAP**

8 13 02
 MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: P.M. REVISED: 00-00-00





APPROXIMATE TOTAL PIPELINE DISTANCE = 2,100' +/-

LEGEND:

- PROPOSED ACCESS ROAD
- EXISTING PIPELINE
- PROPOSED PIPELINE



EL PASO PRODUCTION OIL & GAS COMPANY

CIGE #292
SECTION 8, T10S, R22E, S.L.B.&M.
149' FSL 1062' FEL



Uintah Engineering & Land Surveying
 85 South 200 East Vernal, Utah 84078
 (435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC
MAP

8 13 02
 MONTH DAY YEAR

SCALE: 1" = 1000' DRAWN BY: P.M. REVISED: 00-00-00



EL PASO PRODUCTION OIL & GAS COMPANY


LOCATION LAYOUT FOR

CIGE #292

SECTION 8, T10S, R22E, S.L.B.&M.

149' FSL 1062' FEL


FIGURE #1



SCALE: 1" = 50'
DATE: 08-11-02
Drawn By: D.R.B.

NOTE:

Flare Pit is to be located
a min. of 100' from the
Well Head.



NOTES:

Elev. Ungraded Ground At Loc. Stake = 5205.1'

FINISHED GRADE ELEV. AT LOC. STAKE = 5204.2'

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017


EL PASO PRODUCTION OIL & GAS COMPANY

TYPICAL CROSS SECTIONS FOR

CIGE #292

SECTION 8, T10S, R22E, S.L.B.&M.

149' FSL 1062' FEL



1" = 20'
X-Section
Scale
1" = 50'

DATE: 08-11-02
Drawn By: D.R.B.







FIGURE #2

APPROXIMATE YARDAGES



CUT	
(6") Topsoil Stripping	= 1,210 Cu. Yds.
Remaining Location	= 5,010 Cu. Yds.
TOTAL CUT	= 6,220 CU.YDS.
FILL	= 3,530 CU.YDS.

EXCESS MATERIAL AFTER 5% COMPACTION	= 2,500 Cu. Yds.
Topsoil & Pit Backfill (1/2 Pit Vol.)	= 2,500 Cu. Yds.
EXCESS UNBALANCE (After Rehabilitation)	= 0 Cu. Yds.

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East • Vernal, Utah 84078 • (435) 789-1017

3,000 PSI

BOP STACK



003

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 01/16/2003

API NO. ASSIGNED: 43-047-34871

WELL NAME: CIGE 292

OPERATOR: EL PASO PROD OIL & GAS (N1845)

CONTACT: SHEILA UPCHEGO

PHONE NUMBER: 435-781-7024

PROPOSED LOCATION:

SESE 08 100S 220E

SURFACE: 0149 FSL 1062 FEL

BOTTOM: 0149 FSL 1062 FEL

UINTAH

NATURAL BUTTES (630)

LEASE TYPE: 1 - Federal

LEASE NUMBER: U-01196-E

SURFACE OWNER: 1 - Federal

PROPOSED FORMATION: MVRD

INSPECT LOCATN BY: / /

Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LATITUDE: 39.95659

LONGITUDE: 109.45723

RECEIVED AND/OR REVIEWED:

- ☒ Plat
- ☒ Bond: Fed[1] Ind[] Sta[] Fee[]
(No. WY-3457)
- ☒ Potash (Y/N)
- ☒ Oil Shale 190-5 (B) or 190-3 or 190-13
- ☒ Water Permit
(No. 43-8496)
- ☒ RDCC Review (Y/N)
(Date:)
- ☒ Fee Surf Agreement (Y/N)

LOCATION AND SITING:

R649-2-3.

Unit NATURAL BUTTES ✓

R649-3-2. General

Siting: 460 From Qtr/Qtr & 920' Between Wells

R649-3-3. Exception

✓ Drilling Unit

Board Cause No: 173.14

Eff Date: 12.29.99

Siting: 460' fr u boundary & Uncommon Tract

R649-3-11. Directional Drill


COMMENTS:

Sup, Separate file

STIPULATIONS:

1- Federal Approval

2- OIL SHALE




OPERATOR: EL PASO PRODUCTION (N1845)

SEC. 8 T10S, R22E

FIELD: NATURAL BUTTES (630)

COUNTY: UTAH

CAUSE: 173-14 / 12-2-99



Utah Oil Gas and Mining

WELLS


- ✱ GAS INJECTION
- GAS STORAGE
- ✕ LOCATION ABANDONED
- ⊙ NEW LOCATION
- ✧ PLUGGED & ABANDONED
- ✱ PRODUCING GAS
- ✱ PRODUCING OIL
- ✱ SHUT-IN GAS
- ✱ SHUT-IN OIL
- ✕ TEMP. ABANDONED
- TEST WELL
- ⊙ WATER INJECTION
- ⊙ WATER SUPPLY
- ⊙ WATER DISPOSAL

UNIT STATUS

- EXPLORATORY
- GAS STORAGE
- NF PP OIL
- NF SECONDARY
- PENDING
- PI OIL
- PP GAS
- PP GEOTHERML
- PP OIL
- SECONDARY
- TERMINATED

FIELD STATUS

- ABANDONED
- ACTIVE
- COMBINED
- INACTIVE
- PROPOSED
- STORAGE
- TERMINATED
- COUNTY BOUNDARY
- SECTION LINES
- TOWNSHIP LINES



PREPARED BY: DIANA MASON
DATE: 17-JANUARY-2003



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

1594 West North Temple, Suite 1210

PO Box 145801

Salt Lake City, Utah 84114-5801

(801) 538-5340 telephone

(801) 359-3940 fax

(801) 538-7223 TTY

www.nr.utah.gov

Michael O. Leavitt
Governor

Robert L. Morgan
Executive Director

Lowell P. Braxton
Division Director

January 23, 2003

El Paso Production Oil & Gas Company
P O Box 1148
Vernal, UT 84078


Re: CIGE 292 Well, 149' FSL, 1062' FEL, SE SE, Sec. 8, T. 10 South, R. 22 East,
Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-34871.

Sincerely,



John R. Baza
Associate Director

pb

Enclosures

cc: Uintah County Assessor
Bureau of Land Management, Vernal District Office

Operator: El Paso Production Oil & Gas Company
Well Name & Number CIGE 292
API Number: 43-047-34871
Lease: U-01196-E

Location: SE SE **Sec.** 8 **T.** 10 South **R.** 22 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. In accordance with Order in Cause No. 190-5(b) dated October 28, 1982, the Operator shall comply with requirements of Rules R649-3-31 and R649-3-27 pertaining to Designated Oil Shale Areas. Additionally, the operator shall ensure that the surface and/or production casing is properly cemented over the entire oil shale interval as defined by Rule R649-3-31. The Operator shall report the actual depth the oil shale is encountered to the Division.

5. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.



IN REPLY REFER TO:
Real Estate Services

United States Department of the Interior

BUREAU OF INDIAN AFFAIRS
Washington, D.C. 20240

FEB 10 2003

Carroll A. Wilson
Principal Landman
Westport Oil and Gas Company, L.P.
1368 South 1200 East
Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

Director, Office of Trust Responsibilities

ACTING

Enclosure

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: El Paso Production Oil & Gas Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR: 9 Greenway Plaza Houston TX 77064-0995		7. UNIT or CA AGREEMENT NAME
PHONE NUMBER: (832) 676-5933		8. WELL NAME and NUMBER: Exhibit "A"
4. LOCATION OF WELL FOOTAGES AT SURFACE: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		9. API NUMBER:
		10. FIELD AND POOL, OR WILDCAT:
		COUNTY:
		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 2800, Denver, CO. 80202-4800, effective December 17, 2002.

BOND # _____

State Surety Bond No. RLB0005236
Fee Bond No. RLB0005238


EL PASO PRODUCTION OIL & GAS COMPANY

By: 
Jon R. Nelsen, Attorney-in-Fact

RECEIVED

FEB 28 2003

DIV. OF OIL, GAS & MINING

WESTPORT OIL AND GAS COMPANY, L.P.			
NAME (PLEASE PRINT)	David R. Dix	TITLE	Agent and Attorney-in-Fact
SIGNATURE		DATE	12/17/02

(This space for State use only)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY, L.P.

3a. Address

P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7023

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED EXHIBIT "A"

5. Lease Serial No.

SEE ATTACHED EXHIBIT "A"

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

SEE ATTACHED EXHIBIT "A"

9. API Well No.

SEE ATTACHED EXHIBIT "A"

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	SUCCESSOR OF
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	OPERATOR

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompletes horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed when testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection.

WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE BOND NO. RLB0005239, EFFECTIVE FEBRUARY 10, 2003.

RECEIVED

MAR 04 2003

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

CHERYL CAMERON

Title

OPERATIONS

Date

March 4, 2003

DIV. OF OIL, GAS & MINING

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0136
Expires November 30, 2000

007

APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of Work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. UTU01196E	
CONFIDENTIAL		6. If Indian, Allottee or Tribe Name	
		7. If Unit or CA Agreement, Name and No. UTU63047A	
1b. Type of Well: <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		8. Lease Name and Well No. CIGE 292	
2. Name of Operator EL PASO PROD OIL & GAS CO		9. API Well No. 43-047-34871-00-X1	
3a. Address P.O. BOX 1148 VERNAL, UT 84078		3b. Phone No. (include area code) Ph: 435.781.7024 Fx: 435.781.7094	
4. Location of Well (Report location clearly and in accordance with any State requirements. *) At surface SESE 149FSL 1062FEL At proposed prod. zone		10. Field and Pool, or Exploratory NATURAL BUTTES	
14. Distance in miles and direction from nearest town or post office* 23.7 MILES SOUTHEAST OF OURAY, UTAH		12. County or Parish UINTAH	13. State UT
15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 149'	16. No. of Acres in Lease 560.00	17. Spacing Unit dedicated to this well	
18. Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft. REFER TO TOPO C	19. Proposed Depth 7550 MD	20. BLM/BIA Bond No. on file CO1203	
21. Elevations (Show whether DF, KB, RT, GL, etc.) 5205 GL	22. Approximate date work will start	23. Estimated duration	

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- | | |
|---|--|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be required by the authorized officer. |

25. Signature (Electronic Submission)	Name (Printed/Typed) SHEILA UPCHEGO Ph: 435.781.7024	Date 01/14/2003
Title OPERATIONS		
Approved by (Signature) (Electronic Submission)	Name (Printed/Typed) HOWARD B CLEAVINGER II	Date 03/25/2003
Title AFM FOR MINERAL RESOURCES		

Application approval does not warrant or certify the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.
Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional Operator Remarks (see next page)

RECEIVED

Electronic Submission #17666 verified by the BLM Well Information System
For EL PASO PROD OIL & GAS CO, sent to the Vernal
Committed to AFMSS for processing by LESLIE WALKER on 01/17/2003 (03LW0707AE)

MAR 26 2003

DIV. OF OIL, GAS & MINING

email

** REVISED ** REVISED ** REVISED ** REVISED ** REVISED ** REVISED ** REVISED ** REVISED **

Additional Operator Remarks:

NO REMARK PROVIDED

Revisions to Operator-Submitted EC Data for APD #17666

	Operator Submitted	BLM Revised (AFMSS)
Lease:	U-01196-E	UTU01196E
Agreement:	NATURAL BUTTES	UTU63047A
Operator:	EL PASO PRODUCTION O&G COMPANY P.O. BOX 1148 VERNAL, UT 84078 Ph: 435.781.7024 Fx: 435.781.7094	EL PASO PROD OIL & GAS CO P.O. BOX 1148 VERNAL, UT 84078 Ph: 435 789 4433 Fx: 435 789 4436
Admin Contact:	SHEILA UPCHEGO OPERATIONS 1368 SOUTH 1200 EAST VERNAL, UT 84078 Ph: 435.781.7024 Fx: 435.781.7094 E-Mail: sheila.upchego@ElPaso.com	SHEILA UPCHEGO OPERATIONS P.O. BOX 1148 VERNAL, UT 84078 Ph: 435.781.7024 Fx: 435.781.7094 E-Mail: sheila.upchego@ElPaso.com
Tech Contact:	SHEILA UPCHEGO REGULATORY ANALYST P.O. BOX 1148 VERNAL, UT 84078	SHEILA UPCHEGO OPERATIONS P.O. BOX 1148 VERNAL, UT 84078
Well Name: Number:	CIGE 292	CIGE 292
Location: State: County: S/T/R: Surf Loc:	UT UINTAH Sec 8 T10S R22E Mer SLB SESE 149FSL 1062FEL	UT UINTAH Sec 8 T10S R22E Mer SLB SESE 149FSL 1062FEL
Field/Pool:	NATURAL BUTTES	NATURAL BUTTES
Bond:	WY-3457	CO1203

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Westport Oil & Gas Company

Well Name & Number: CIGE 292

API Number: 43-047-34871

Lease Number: U-01196-E

Location: SESE Sec. 8 T. 10S R. 22E

Agreement: Natural Buttes WS MV

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands to John Mayers of this office prior to setting the next casing string or requesting plugging orders. Faxed copies of State of Utah form OGC-8-X are acceptable.

2. Pressure Control Equipment

The variances requested in section 9 of the NBU Field SOP are granted with the following conditions:

Where the location and rig layout allows, the blooie line shall be straight and extend 100' from the wellbore. This requirement will be waived only in the case where the location is too small to accommodate it.

3. Casing Program and Auxiliary Equipment

As a minimum requirement, the cement behind the production casing must extend at least 200' above the top of the Green River Formation which has been identified at $\pm 1404'$.

4. Mud Program and Circulating Medium

None

5. Coring, Logging and Testing Program

Cement Bond Logs will be required from TD to the surface casing shoe.

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

Please submit to this office, in LAS format, an electronic copy of all logs run on this well. This submission will replace the requirement for submittal of paper logs to the BLM.

6. Notifications of Operations

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

7. Other Information

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, you must contact one of the following individuals:

Ed Forsman (435) 828-7874
Petroleum Engineer

Kirk Fleetwood (435) 828-7875
Petroleum Engineer

BLM FAX Machine (435) 781-4410

**SURFACE USE PROGRAM
CONDITIONS OF APPROVAL (COAs)**

- Construction of the well pad, reserve pit, and access road must be monitored by a qualified paleontologist.
- The pit shall be lined with a plastic and a felt liner.
- The seed mix for this location shall be:

Indian Ricegrass	<i>Oryzopsis hymenoides</i>	3 lbs. /acre
Shadscale	<i>Atriplex confertifolia</i>	5 lbs. /acre
Galleta grass	<i>Hilaria jamesii</i>	3 lbs. /acre
Black sagebrush	<i>Artemisia nova</i>	1 lbs. /acre

-All poundage is in pure live seed.

-Reseeding may be required if first seeding is not successful.

- Four to 6 inches of topsoil shall be stripped from the location and windrowed as shown on the cut sheet. The topsoil shall then be broadcast seeded with the recommended seed mix immediately after it has been windrowed and the seed walked into the soil with a dozer.
- The topsoil from the reserve pit shall be stripped and piled separately near the reserve pit. When the reserve pit is closed, it shall be recontoured and the topsoil respread, and the area shall be seeded in the same manner as the location topsoil.
- Once the location is plugged and abandoned, it shall be recontoured to natural contours, topsoil respread where appropriate, and the entire location seeded with the recommended seed mix. Seeding shall take place by broadcasting the seed and walking it into the soil with a dozer immediately after the dirt work is completed.

OPERATOR CHANGE WORKSHEET

006

ROUTING

1. GLH

2. CDW ✓

3. FILE

X Change of Operator (Well Sold)

Designation of Agent/Operator

Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective: 12-17-02

FROM: (Old Operator):	TO: (New Operator):
EL PASO PRODUCTION OIL & GAS COMPANY	WESTPORT OIL & GAS COMPANY LP
Address: 9 GREENWAY PLAZA	Address: P O BOX 1148
HOUSTON, TX 77064-0995	VERNAL, UT 84078
Phone: 1-(832)-676-5933	Phone: 1-(435)-781-7023
Account No. N1845	Account No. N2115

CA No.

Unit:

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SANTIO 4-233	04-09S-21E	43-047-34776	99999	INDIAN	GW	APD
CIGE 289	07-09S-21E	43-047-34865	99999	FEDERAL	GW	APD
NBU 452	08-09S-21E	43-047-34875	99999	FEDERAL	GW	APD
NBU 406	10-09S-21E	43-047-34747	99999	FEDERAL	GW	NEW
NBU 391	17-09S-21E	43-047-34874	99999	FEDERAL	GW	APD
NBU 410	32-09S-21E	43-047-34872	99999	STATE	GW	APD
CIGE 288	21-09S-21E	43-047-34842	99999	FEDERAL	GW	APD
NBU 445	30-09S-21E	43-047-34867	99999	FEDERAL	GW	APD
CIGE 225	03-10S-21E	43-047-34895	99999	FEDERAL	GW	APD
CIGE 291	10-10S-21E	43-047-34868	99999	FEDERAL	GW	APD
CIGE 290	10-10S-21E	43-047-34869	99999	FEDERAL	GW	APD
NBU 468	11-10S-21E	43-047-34856	99999	FEDERAL	GW	APD
CIGE 275	21-10S-21E	43-047-34799	99999	FEDERAL	GW	APD
CIGE 271	32-09S-22E	43-047-34795	99999	STATE	GW	APD
CIGE 293	08-10S-22E	43-047-34838	99999	FEDERAL	GW	APD
CIGE 294	08-10S-22E	43-047-34870	99999	FEDERAL	GW	APD
CIGE 292	08-10S-22E	43-047-34871	99999	FEDERAL	GW	APD
CIGE 298	09-10S-22E	43-047-34855	99999	FEDERAL	GW	APD
CIGE 297	14-10S-22E	43-047-34857	99999	STATE	GW	NEW
CIGE 296	14-10S-22E	43-047-34858	99999	STATE	GW	NEW
CIGE 299	14-10S-22E	43-047-34859	99999	FEDERAL	GW	APD

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 02/28/2003
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 03/04/2003
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 03/06/2003
4. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181

5. If **NO**, the operator was contacted contacted on: _____

6. (R649-9-2)Waste Management Plan has been received on: IN PLACE

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM-12/31/2003 BIA-12/5/02

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 02/27/2003

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: 01/09/2003

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 03/28/2003

2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 03/28/2003

3. Bond information entered in RBDMS on: N/A

4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: RLB 0005236

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: 158626364

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: RLB 0005239

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB 0005238

2. The **FORMER** operator has requested a release of liability from their bond on: N/A

The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

RECEIVED
MAR 20 2003
VERNAL, UTAH

Form 3160-3
(August 1999)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0136
Expires November 30, 2000

005



APPLICATION FOR PERMIT TO DRILL OR REENTER

1a. Type of Work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. U-01196-E
b. Type of Well: <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		6. If Indian, Allottee or Tribe Name
2. Name of Operator Westport Oil & Gas Co., L.P.		7. If Unit or CA Agreement, Name and No. Natural Buttes Unit
3A. Address P.O. Box 1148 Vernal, Utah 84078	3b. Phone No. (include area code) (435)-781-7024	8. Lease Name and Well No. CIGE #292
4. Location of Well (Report location clearly and in accordance with any State requirements. *) At surface SESE 149'FSL & 1062'FEL At proposed prod. Zone		9. API Well No.
14. Distance in miles and direction from nearest town or post office* 23.7 Miles Southeast of Ouray, Utah		10. Field and Pool, or Exploratory Natural Buttes
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) 149'	16. No. of Acres in lease 560.00	11. Sec., T., R., M., or Blk, and Survey or Area Section 8-T10S-R22E
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft. Refer to Topo C	19. Proposed Depth 7550'	12. County or Parish Uintah
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5205'GL		13. State Utah
22. Approximate date work will start* Upon Approval		17. Spacing Unit dedicated to this well N/A
23. Estimated duration To Be Determined		20. BLM/BIA Bond No. on file C01203

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- | | |
|--|---|
| 1. Well plat certified by a registered surveyor. | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan. | 5. Operator certification. |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office. | 6. Such other site specific information and/or plans as may be required by the authorized office. |

25. Signature 	Name (Printed/Typed) Sheila Upchego	Date 3/20/2003
Title Regulatory Analyst		
Approved by (Signature) 	Name (Printed/Typed) Assistant Field Manager	Date 03/25/2003
Title Assistant Field Manager Mineral Resources	Office NOTICE OF APPROVAL	

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

CONDITIONS OF APPROVAL ATTACHED

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on reverse)

RECEIVED

APR 02 2003

DIV. OF OIL, GAS & MINING

UDOGM

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Westport Oil & Gas Company

Well Name & Number: CIGE 292

API Number: 43-047-34871

Lease Number: U-01196-E

Location: SESE Sec. 8 T. 10S R. 22E

Agreement: Natural Buttes WS MV

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands to John Mayers of this office prior to setting the next casing string or requesting plugging orders. Faxed copies of State of Utah form OGC-8-X are acceptable.

2. Pressure Control Equipment

The variances requested in section 9 of the NBU Field SOP are granted with the following conditions:

Where the location and rig layout allows, the blooie line shall be straight and extend 100' from the wellbore. This requirement will be waived only in the case where the location is too small to accommodate it.

3. Casing Program and Auxiliary Equipment

As a minimum requirement, the cement behind the production casing must extend at least 200' above the top of the Green River Formation which has been identified at $\pm 1404'$.

4. Mud Program and Circulating Medium

None

5. Coring, Logging and Testing Program

Cement Bond Logs will be required from TD to the surface casing shoe.

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

Please submit to this office, in LAS format, an electronic copy of all logs run on this well. This submission will replace the requirement for submittal of paper logs to the BLM.

6. Notifications of Operations

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

7. Other Information

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, you must contact one of the following individuals:

Ed Forsman (435) 828-7874
Petroleum Engineer

Kirk Fleetwood (435) 828-7875
Petroleum Engineer

BLM FAX Machine (435) 781-4410

**SURFACE USE PROGRAM
CONDITIONS OF APPROVAL (COAs)**

- Construction of the well pad, reserve pit, and access road must be monitored by a qualified paleontologist.
- The pit shall be lined with a plastic and a felt liner.
- The seed mix for this location shall be:

Indian Ricegrass	<i>Oryzopsis hymenoides</i>	3 lbs. /acre
Shadscale	<i>Atriplex confertifolia</i>	5 lbs. /acre
Galleta grass	<i>Hilaria jamesii</i>	3 lbs. /acre
Black sagebrush	<i>Artemisia nova</i>	1 lbs. /acre

-All poundage is in pure live seed.

-Reseeding may be required if first seeding is not successful.

- Four to 6 inches of topsoil shall be stripped from the location and windrowed as shown on the cut sheet. The topsoil shall then be broadcast seeded with the recommended seed mix immediately after it has been windrowed and the seed walked into the soil with a dozer.
- The topsoil from the reserve pit shall be stripped and piled separately near the reserve pit. When the reserve pit is closed, it shall be recontoured and the topsoil respread, and the area shall be seeded in the same manner as the location topsoil.
- Once the location is plugged and abandoned, it shall be recontoured to natural contours, topsoil respread where appropriate, and the entire location seeded with the recommended seed mix. Seeding shall take place by broadcasting the seed and walking it into the soil with a dozer immediately after the dirt work is completed.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

008

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY, L.P.

3a. Address

P.O. BOX 1148 VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Multiple Wells - see attached

5. Lease Serial No.

Multiple Wells - see attached

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

891008900A

8. Well Name and No.

Multiple Wells - see attached

9. API Well No.

Multiple Wells - see attached

10. Field and Pool, or Exploratory Area

Natural Buttes Unit

11. County or Parish, State

Uintah County, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

Westport Oil & Gas requests a variance to Onshore Order No. 4, Part IIIC.a. requiring each sales tank be equipped with a pressure-vacuum thief hatch and/or vent line valve. The variance is requested as an economic analysis shows the value of the shrunk condensate will not payout the incremental cost of purchasing and maintaining the valve resulting in a loss of value over the producing life of the well.

The volume lost to shrinkage by dropping the tank pressure from 6 ozs. to 0 psig is shown to be 0.3% of the tank volume. This was determined by lab analysis of a representative sample from the field. The sample shrunk from 98.82% of original volume to 98.52% when the pressure was dropped.

The average NBU well produces approximately 6 bbls condensate per month. The resulting shrinkage would amount to 0.56 bbls per month lost volume due to shrinkage. The value of the shrunk and lost condensate does not recoup or payout the cost of installing and maintaining the valves and other devices that hold the positive tank pressure. An economic run based on the loss and costs is attached.

Westport Oil & gas requests approval of this variance in order to increase the value of the well to the operator and the mineral royalty owners.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

J.T. Conley

Signature

J.T. Conley

COPY SENT TO OPERATOR

Date:

Initials:

CHD

Title

Operations Manager

Date

9-2-2003

Operations Manager

SEP 10 2003

DIV. OF OIL, GAS & MINING

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Federal Approval of This Action Is Necessary

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Oil, Gas and Mining

Date:

9/16/03

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

Westport Oil & Gas, L.P.

Project Economics Worksheet

Instructions:

Fill in blue areas with before and after project data. The evaluation results are shown below and graphed automatically at the bottom of the page. This sheet is protected to prevent accidental alteration of the formulas. See JTC for changes. OPX entered as annual costs and/or as unit OPX costs for \$/BF and \$/MCF

Project Name:

Condensate Shrinkage Economics

Is this job a well pull or production rig job ???

N

(Y or N)

	BEFORE \$/Year	AFTER \$/Year	DIFFERENCE \$/Year
Gross Oil Revenue	\$1,088	\$1,099	\$11
Gross Gas Revenue	\$0	\$0	\$0
NGL Revenue	\$0	\$0	\$0
PULING UNIT SERVICE			\$0
WIRELIN SERVICE			\$0
SUBSURF EQUIP REPAIRS			\$0
COMPANY LABOR			\$0
CONTRACT LABOR	\$0	\$200	\$200
CONTR SERVICE			\$0
LEASE FUEL GAS	\$0	\$0	\$0
UTILITIES - ELECTRICITY	\$0	\$0	\$0
CHEMICAL TREATING			\$0
MATERIAL & SUPPLY	\$0	\$150	\$150
WATER & HAULING			\$0
ADMINISTRATIVE COSTS			\$0
GAS PLANT PROCESSING			\$0
Totals	\$0	\$350	\$350

Increased OPX Per Year

Investment Breakdown:

Cap/Exp Code	Cost, \$
Capital \$ 820/830/840	\$1,200
Expense \$ 830/840	\$0
Total \$	\$1,200

Oil Price	\$ 23.00	\$/BO
Gas Price	\$ 3.10	\$/MCF
Electric Cost	\$ -	\$/ HP / day
OPX/BF	\$ 2.00	\$/BF
OPX/MCF	\$ 0.62	\$/MCF

Production & OPX Detail:

	Before		After		Difference
Oil Production	0.192	BOPD	0.194	BOPD	0.002
Gas Production	0	MCFPD	0	MCFPD	0
Wtr Production	0	BWPD	0	BWPD	0
Horse Power		HP		HP	0
Fuel Gas Burned		MCFPD		MCFPD	0

Project Life:

Life = 20.0 Years
(Life no longer than 20 years)

Internal Rate of Return:

After Tax IROR = #DIV/0!

AT Cum Cashflow:

Operating Cashflow = (\$2,917) (Discounted @ 10%)

Payout Calculation:

$$\text{Payout} = \frac{\text{Total Investment}}{\text{Sum(OPX + Incremental Revenue)}} = 1$$

Payout occurs when total AT cashflow equals investment
See graph below, note years when cashflow reaches zero

Payout = NEVER Years or #VALUE! Days


Gross Reserves:

Oil Reserves = 6 BO
Gas Reserves = 0 MCF
Gas Equiv Reserves = 38 MCFE

Notes/Assumptions:

An average NBU well produces 0.192 Bcpd with no tank pressure. The production is increased to 0.194 Bcpd if 6 ozs of pressure are placed on the tank. The increased production does not payout the valve cost or the estimated annual maintenance costs.

Project: Condensate Shrinkage Economics



Westport Oil and Gas, Inc.

NBU/Ouray Field

RFL 2003-022

COMPARISON OF FLASH BACK PRESSURES

Calculated by Characterized Equation-of-State

Flash Conditions		Gas/Oil Ratio (scf/STbbl) (A)	Specific Gravity of Flashed Gas (Air=1.000)	Separator Volume Factor (B)	Separator Volume Percent (C)
psig	°F				

Calculated at Laboratory Flash Conditions

80	70			1.019	
0	122	30.4	0.993	1.033	101.37%
0	60	0.0	—	1.000	98.14%

Calculated Flash with Backpressure using Tuned EOS

80	70			1.015	
6.0 oz	65	24.6	0.777	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
4.0 oz	65	24.7	0.778	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
2.0 oz	65	24.7	0.779	1.003	98.82%
0	60	0.0	—	1.000	98.52%
80	70			1.015	
0	65	24.8	0.780	1.003	98.82%
0	60	0.0	—	1.000	98.52%

(A) Cubic Feet of gas at 14.696 psia and 60 °F per Barrel of Stock Tank Oil at 60 °F.

(B) Barrels of oil at indicated pressure and temperature per Barrel of Stock Tank Oil at 60 °F.

(C) Oil volume at indicated pressure and temperature as a percentage of original saturated oil volume.

Note: Bubblepoint of sample in original sample container was 80 psig at 70° F with 1 cc water

WELL	LEGALS	STFLEASENO	CANUMBER	APINO
CIGE 258	19-9-21 NWSE	UTU08891	891008900A	430473486700S1 ✓
CIGE 259	6-10-21 SWNE	UTU01791	891008900A	430473438700S1
CIGE 260	6-10-21 NENE	UTU01791	891008900A	430473438800S1
CIGE 261	7-10-21 NWSE	UTU02270A	891008900A	430473438900S1
CIGE 262	7-10-21 SENE	UTU01791	891008900A	430473437000S1
CIGE 263	19-10-22 SESE	ML20714	891008900A	430473422600S1
CIGE 264	19-10-21 SWSW	ML-22792	891008900A	430473422700S1
CIGE 265	15-9-20 SENE	UTU0144868	891008900A	430473478100S1
CIGE 266	33-9-22 NWSW	UTU01191A	891008900A	430473438600S1
CIGE 268	8-10-22 NWSE	UTU01196E	891008900A	430473441200S1
CIGE 271	32-9-22 SWNE	ML22649	891008900A	430473479500S1
CIGE 274	13-9-21 NENW	UTU01193	891008900A	430473477800S1
CIGE 275	21-10-21 NENW	UTU02278	891008900A	430473479900S1
CIGE 276	21-10-21 SWNW	UTU02278	891008900A	430473441700S1
CIGE 277	21-10-21 NWNW	UTU02278	891008900A	430473480000S1
CIGE 278	14-10-21 NESE	UTU01393C	891008900A	430473444500S1 ✓
CIGE 279	14-10-21 SESE	UTU01393C	891008900A	430473447900S1 ✓
CIGE 280	5-10-22 SWNW	UTU01195	891008900A	430473444300S1 ✓
CIGE 281	5-10-22 NWSW	UTU01191A	891008900A	430473444400S1 ✓
CIGE 282	7-10-22 NENE	ML23609	891008900A	430473443600S1 ✓
CIGE 283	35-9-21 SESE	ML22582	891008900A	430473479000S1 ✓
CIGE 284	1-10-21 SWNW	ML23612	891008900A	430473479200S1
CIGE 285	2-10-21 NENE	ML22652	891008900A	430473479300S1
CIGE 286	9-10-21 SENE	U01416	891008900A	430473479700S1
CIGE 287	9-10-21 NWSE	U01416	891008900A	430473479800S1
CIGE 288	21-9-21 NWSE	UTU0576	891008900A	430473484842
CIGE 289	7-9-21 NWSE	UTU0575B	891008900A	430473486500S1 ✓
CIGE 290	10-10-21 NESE	UTU0149079	891008900A	430473486900S1
CIGE 291	10-10-21 NWSE	UTU0149079	891008900A	430473486800S1
CIGE 292	8-10-22 SESE	UTU01196E	891008900A	430473487100S1
CIGE 293	8-10-22 SWSE	UTU01196E	891008900A	430473483800S1
CIGE 294	8-10-22 NENW	UTU466	891008900A	430473487000S1
CIGE 295	14-10-22 NENW	UTU01197A-ST	891008900A	430473482000S1
CIGE 296	14-10-22 NWNW	U01197A-ST	891008900A	430473485800S1 ✓
CIGE 297	14-10-22 SWNW	U01197A-ST	891008900A	430473485700S1 ✓
CIGE 298	9-10-22 SESW	UTU01196B	891008900A	430473485500S1
CIGE 299	14-10-22 NWSW	UTU466	891008900A	430473485900S1
NBU 004	23-9-21 NESE	UTU0149075	891008900A	430473005600S1
NBU 006	24-9-21 NWSE	UTU0149076	891008900A	430473008300S1
NBU 015	26-9-21 SESW	U99070-01	891008900A	430473020400S1
NBU 016	34-9-22 SWSE	UTU0149077	891008900A	430473020900S1
NBU 018	10-10-22 SWNE	UTU025187	891008900A	430473022100S1
NBU 020	28-9-21 NESW	U05676	891008900A	430473025000S1
NBU 022	18-10-22 SENE	ML22973	891008900A	430473025600S1
NBU 023	19-9-22 SWNE	UTU0284	891008900A	430473086800S1
NBU 024N2	12-10-22 SESE	U01197A	891008900A	430473053500S1
NBU 026	27-9-21 CSE	U01194A	891008900A	430473025200S1 ✓
NBU 027	33-9-21 NESW	U015630	891008900A	430473030400S1
NBU 027A	33-9-21 SWNE	U015630	891008900A	430473039800S1
NBU 028	13-10-21 NWSE	ML23608	891008900A	430473030500S1
NBU 029	11-10-21 NESW	UTU0149080	891008900A	430473030200S1
NBU 030	16-10-22 SWSE	ML22653	891008900A	430473030800S1
NBU 031	11-10-22 SESW	U01197A	891008900A	430473030700S1 ✓
NBU 032Y	20-9-22 NWNW	UTU0284	891008900A	430473051400S1
NBU 033Y	18-10-21 NWNW	UTU02270A	891008900A	430473050400S1
NBU 035Y	29-9-21 NWSE	UTU0581	891008900A	430473050300S1
NBU 036Y	30-9-21 SENE	UTU0581	891008900A	430473060300S1
NBU 037XP	3-10-22 SESE	UTU01191A	891008900A	430473072400S1
NBU 038N2	13-10-22 NWSW	U06512	891008900A	430473053600S1
NBU 039	29-10-22 SWSW	UTU0132568A	891008900A	430473086100S1
NBU 041J	31-9-22 NWSW	ML23607	891008900A	430473122400S1 ✓

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

009

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE – Other instructions on reverse side

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SESE SECTION 8-T10S-R22E 149'FSL & 1062'FEL

5. Lease Serial No.

U-01196-E

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

NATURAL BUTTES UNIT

8. Well Name and No.

CIGE 292

9. API Well No.

43-047-34871

10. Field and Pool, or Exploratory Area

NATURAL BUTTES

11. County or Parish, State

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other DOGM ONE
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	YEAR EXTENSION
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

THE OPERATOR REQUESTS AUTHORIZATION FOR AN ONE YEAR EXTENSION FOR THE SUBJECT WELL LOCATION, SO THAT DRILLING OPERATIONS MAY BE COMPLETED.

COPY SENT TO OPERATOR

Date: 1-23-04
Initials: CHS

Approved by the
Utah Division of
Oil, Gas and Mining

Date: 01-22-04
By: [Signature]

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Sheila Upchego

Signature

[Signature]

Title

Regulatory Analyst

Date

January 12, 2004

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

RECEIVED

JAN 20 2004

DIV. OF OIL, GAS & MINING

**Application for Permit to Drill
Request for Permit Extension
Validation**

(this form should accompany the Sundry Notice requesting permit extension)

API: 43-047-34871
Well Name: CIGE #292
Location: SESE SECTION 8-T10S-R22E
Company Permit Issued to: WESTPORT OIL & GAS CO., L.P.
Date Original Permit Issued: 1/23/03

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.

If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes ☐ No ☒

Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes ☐ No ☒

Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes ☐ No ☒

Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes ☐ No ☒

Has the approved source of water for drilling changed? Yes ☐ No ☒

Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes ☐ No ☒

Is bonding still in place, which covers this proposed well? Yes ☒ No ☐


Signature

1/12/2004

Date

Title: REGULATORY ANALYST

Representing: WESTPORT OIL & GAS COMPANY L.P.

010

Form 3160-5
(August 1999)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 20005. Lease Serial No.
UTU63047E

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on reverse side.7. If Unit or CA/Agreement, Name and/or No.
UTU63047A8. Well Name and No.
CIGE 292

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other2. Name of Operator
WESTPORT OIL & GAS COMPANY LPContact: DEBRA DOMENICI
E-Mail: ddomenici@westportresourcescorp.com9. API Well No.
43-047-34871-00-X13a. Address
1368 SOUTH 1200 EAST
VERNAL, UT 840783b. Phone No. (include area code)
Ph: 435.781.706010. Field and Pool, or Exploratory
NATURAL BUTTES

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 8 T10S R22E SESE 149FSL 1062FEL

11. County or Parish, and State

UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Change to Original A PD
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

THE OPERATOR REQUESTS THAT THE APD BE EXTENDED FOR AN ADDITIONAL YEAR SO THAT DRILLING OPERATIONS MAY BE COMPLETED.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #27798 verified by the BLM Well Information System
For WESTPORT OIL & GAS COMPANY LP, sent to the Vernal
Committed to AFMSS for processing by LESLIE WALKER on 02/12/2004 (04LW0817SE)

Name (Printed/Typed) DEBRA DOMENICI

Title SR ADMINISTRATIVE ASSISTANT

Signature (Electronic Submission)

Date 02/11/2004

THIS SPACE FOR FEDERAL OR STATE OFFICE USEApproved By KIRK FLEETWOOD

Title PETROLEUM ENGINEER

Date 02/24/2004

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Vernal

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Revisions to Operator-Submitted EC Data for Sundry Notice #27798

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	APDCH NOI	APDCH NOI
Lease:	U-01196-E	UTU01196E
Agreement:	NATURAL BUTTES	UTU63047A
Operator:	WESTPORT OIL & GAS COMPANY 1368 S 1200 E VERNAL, UT 84078 Ph: 435.781.7060	WESTPORT OIL & GAS COMPANY LP 1368 SOUTH 1200 EAST VERNAL, UT 84078 Ph: 435 789 4433 Fx: 435 789 4436
Admin Contact:	DEBRA DOMENICI SR ADMINISTRATIVE ASSISTANT E-Mail: ddomenici@westportresourcescorp.com Ph: 435.781.7060	DEBRA DOMENICI SR ADMINISTRATIVE ASSISTANT E-Mail: ddomenici@westportresourcescorp.com Ph: 435.781.7060
Tech Contact:		
Location:		
State:	UT	UT
County:	UINTAH	UINTAH
Field/Pool:	NATURAL BUTTES	NATURAL BUTTES
Well/Facility:	CIGE 292 Sec 8 T10S R22E SESE 149FSL 1062FEL	CIGE 292 Sec 8 T10S R22E SESE 149FSL 1062FEL

Westport Oil and Gas Company L.P.
APD Extension

Well: CIGE 292

Location: SESE Sec. 8, T10S, R22E

Lease: U-01196E

Conditions of Approval

An extension for the referenced APD is granted with the following condition(s):

1. The extension will expire 3/25/05
2. No other extensions beyond that time frame will be granted or allowed.

If you have any other questions concerning this matter, please contact Kirk Fleetwood at (435) 781-4486.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

011

SUBMIT IN TRIPLICATE – Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SESE SECTION 8-T10S-R22E 149'FSL & 1062'FEL

5. Lease Serial No.

UTU-01196-E

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

NATURAL BUTTES UNIT

8. Well Name and No.

CIGE 292

9. API Well No.

43-047-34871

10. Field and Pool, or Exploratory Area

NATURAL BUTTES

11. County or Parish, State

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DOGM APD EXTENSION
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

THE OPERATOR REQUESTS AUTHORIZATION FOR A ONE YEAR EXTENSION. SO THAT THE DRILLING OPERATIONS MAY BE COMPLETED.

Approved by the
Utah Division of
Oil, Gas and Mining

Date:

01-25-05

By:

[Signature]

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Sheila Upchego

Signature

[Signature]

Title

Regulatory Analyst

Date

January 11, 2005

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

RECEIVED

JAN 19 2005

DIV OF OIL GAS & MINING

**Application for Permit to Drill
Request for Permit Extension
Validation**

(this form should accompany the Sundry Notice requesting permit extension)

API: 4304734871
Well Name: CIGE 292
Location: SESE SECTION 8-T10S-R22E
Company Permit Issued to: WESTPORT OIL & GAS CO., L.P.
Date Original Permit Issued: 1/23/2003

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.

If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes ☐ No ☒

Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes ☐ No ☒

Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes ☐ No ☒

Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes ☐ No ☒

Has the approved source of water for drilling changed? Yes ☐ No ☒

Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes ☐ No ☒

Is bonding still in place, which covers this proposed well? Yes ☒ No ☐


Signature

1/11/2003

Date

Title: REGULATORY ANALYST

Representing: WESTPORT OIL & GAS COMPANY L.P.

RECEIVED

JAN 19 2005

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING
ENTITY ACTION FORM - FORM 6

OPERATOR WESTPORT O & G COMPANY, L.P.
ADDRESS 1368 SOUTH 1200 EAST
VERNAL, UT 84078

OPERATOR ACCT. NO. N 2115

ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELL NAME	WELL LOCATION					SPUD DATE	EFFECTIVE DATE
					QQ	SC	TP	RG	COUNTY		
A	99999	14617	43-047-35440	FEDERAL 1022-15J	NWSE	15	10S	22E	UINTAH	3/11/2005	3/17/05
WELL 1 COMMENTS: MIRU PETE MARTIN BUCKET RIG SPUD WELL LOCATION ON 3/11/05 AT 8:00 AM. <i>murd</i>											
CONFIDENTIAL											
A	99999	14618	43-047-34839	FEDERAL 1022-15F	SENE	15	10S	22E	UINTAH	3/9/2005	3/17/05
WELL 2 COMMENTS: MIRU PETE MARTIN BUCKET RIG SPUD WELL LOCATION ON 3/9/2005 AT 9:00 AM. <i>murd</i>											
B	99999	2900	43-047-34871	CIGE 292	SESE	8	10S	22E	UINTAH	3/12/2005	3/17/05
WELL 3 COMMENTS: MIRU PETE MARTIN BUCKET RIG SPUD WELL LOCATION ON 3/12/2005 AT 10:00 AM. <i>murd = WSMVD</i>											
WELL 4 COMMENTS:											
<div style="display: flex; justify-content: space-between;"> <div> <p>Post-It® Fax Note 7871</p> <p>To: <i>Farlene Russell</i></p> <p>Co./Dept: <i>DDGM</i></p> <p>Phone #: <i>801-538-5336</i></p> <p>Fax #: <i>801-359-3940</i></p> </div> <div> <p>Date: <i>3-16-05</i></p> <p>From: <i>Kaleen Weddle</i></p> <p>Co.: <i>Westport</i></p> <p>Phone #: <i>435-781-7044</i></p> <p>Fax #: <i>435-781-7094</i></p> </div> </div>											
WELL 5 COMMENTS:											

ACTION CODES (See instructions on back of form)

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.
(3/89)

RECEIVED
MAR 16 2005
DIV. OF OIL, GAS & MINING

Kaleen Weddle
Signature

REGULATORY ANALYST 03/16/05

Title Date

Phone No. 435-781-7044

MAR-18-2005 WED 01:14 PM EL PASO PRODUCTION

FAX NO. 435/817094

P. 01

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

MAR 23 2005

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

012

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

OIL, GAS & MINING

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U-01196-E
2. Name of Operator WESTPORT OIL & GAS COMPANY, LP		6. If Indian, Allottee or Tribe Name N/A
Contact: RALEEN WEDDLE E-Mail: rweddle@kmg.com		7. If Unit or CA/Agreement, Name and/or No. NATURAL BUTTES
3a. Address 1368 SOUTH 1200 EAST VERNAL, UT 84078	3b. Phone No. (include area code) Ph: 435-781-7044 Fx: 435-781-7044	8. Well Name and No. CIGE 292
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 8 T10S R22E SESE 149FSL 1062FEL		9. API Well No. 43-047-34871
		10. Field and Pool, or Exploratory NATURAL BUTTES
		11. County or Parish, and State UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

MIRU PETE MARTIN BUCKET RIG. DRILLED AND SET 40' OF 14" CONDUCTOR.

SPUD WELL LOCATION ON 3-12-2005 AT 10:00 AM.

14. I hereby certify that the foregoing is true and correct. Electronic Submission #55017 verified by the BLM Well Information System For WESTPORT OIL & GAS COMPANY, LP, sent to the Vernal	
Name (Printed/Typed) RALEEN WEDDLE	Title ASSOCIATE REGULATORY ANALYST
Signature <i>Raleen Weddle</i> (Electronic Submission)	Date 03/16/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		
Office _____		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

014

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. U-01196-E
2. Name of Operator WESTPORT OIL & GAS COMPANY, LP		6. If Indian, Allottee or Tribe Name
3a. Address 1368 SOUTH 1200 EAST VERNAL, UT 84078		7. If Unit or CA/Agreement, Name and/or No. NATURAL BUTTES
3b. Phone No. (include area code) Ph: 435-781-7024		8. Well Name and No. CIGE 292
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 8 T10S R22E SESE 149FSL 1062FEL		9. API Well No. 43-047-34871
		10. Field and Pool, or Exploratory NATURAL BUTTES
		11. County or Parish, and State UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)


MIRU BILL MARTIN JR'S AIR RIG #7. DRILLED 12 1/4" SURFACE HOLE TO 1990'. RAN 9 5/8" 32.3# H-40 SURFACE CSG. LEAD CMT W/250 SX 2% CACL2 1/4# FLOCELE DISPLACED W/WATER BUMP PLUG. PLUG HELD. NO RETURNS. 1ST TOP JOB 100 SX 4% CACL2 2ND TOP JOB W/100 SX 4% CACL2. 3RD TOP JOB W/225 SX 2% CACL2+100# G4-3 4TH TOP JOB W/225 SX 2% CACL2+100# G4-3. 5TH TOP JOB W/85 SX 2% CACL2 HAD CMT RETURNS.

WORT.

RECEIVED

APR 04 2005

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct. Electronic Submission #55366 verified by the BLM Well Information System For WESTPORT OIL & GAS COMPANY, LP, sent to the Vernal	
Name (Printed/Typed) SHEILA UPCHEGO	Title OPERATIONS
Signature 	Date 03/22/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office _____

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
**Do not use this form for proposals to drill or reenter an
abandoned well. Use Form 3160-3 (APD) for such proposals.**

SUBMIT IN TRIPLICATE – Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SESE SECTION 8-T10S-R22E 149'FSL & 1062'FEL

5. Lease Serial No.

U-01196-E

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

NATURAL BUTTES UNIT

8. Well Name and No.

CIGE 292

9. API Well No.

43-047-34871

10. Field and Pool, or Exploratory Area

NATURAL BUTTES

11. County or Parish, State

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other FINAL
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	DRILLING OPERATION
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

FINISHED DRILLING FROM 1990' TO 8893'. RAN 4 1/2" 11.6# I-80 PRODUCTION CSG.
LEAD CMT W/380 SX PREM LITE II @9.5 PPG 2.76 YIELD. TAILED CMT W/1310 SX
50/50 POZ @14.3 PPG 1.31 YIELD.

RELEASED PIONEER 38 ON 5/10/05 AT 1200 HRS.

RECEIVED

MAY 13 2005

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Sheila Upchego

Title

Regulatory Analyst

Signature

Date

May 11, 2005

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SESE SECTION 8-T10S-R22E 149'FSL & 1062'FEL

5. Lease Serial No.

UTU-01196E

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

NATURAL BUTTES UNIT

8. Well Name and No.

CIGE 292

9. API Well No.

43-047-34871

10. Field and Pool, or Exploratory Area

NATURAL BUTTES

11. County or Parish, State

UINTAH, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other PRODUCTION START-UP
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

THE SUBJECT WELL LOCATION WAS PLACED ON PRODUCTION ON 6/1/05 AT 9:30 AM.

PLEASE REFER TO THE ATTACHED CHRONOLOGICAL WELL HISTORY.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Shelia Upchego

Signature

Title

Regulatory Analyst

Date

June 6, 2005

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

RECEIVED

JUN 13 2005

DEPT. OF OIL, GAS & MINING

WESTPORT OIL & GAS COMPANY, LP**CHRONOLOGICAL HISTORY****CIGE 292**

SPUD	Surface Casing Air Rig	Activity	Status
01/19/05		Build Location, 10% complete	Pioneer38
01/20/05		Build Location, 10% complete	Pioneer38
01/21/05		Build Location, 10% complete	Pioneer38
01/24/05		Build Location, 10% complete	Pioneer38
01/25/05		Build Location, 30% complete	Pioneer38
01/26/05		Build Location, 40% complete	Pioneer38
01/27/05		Build Location, 40% complete	Pioneer38
01/28/05		Build Location, 40% complete	Pioneer38
01/31/05		Build Location, 80% complete	Pioneer38
02/01/05		Build Location, 90% complete	Pioneer38
02/02/05		Build Location, 95% complete	Pioneer38
02/03/05		Build Location, 95% complete	Pioneer38
02/04/05		Build Location, 95% complete	Pioneer38
02/07/05		Build Location, 95% complete	Pioneer38
02/08/05		Build Location, 95% complete	Pioneer38
02/09/05		Build Location, 95% complete	Pioneer38
02/10/05		Build Location, 95% complete	Pioneer38
02/11/05		Build Location, 95% complete	Pioneer38
02/14/05		Build Location, 95% complete	Pioneer38
02/15/05		Build Location, 95% complete	Pioneer38
02/16/05		Build Location, 95% complete	Pioneer38
02/17/05		Build Location, 95% complete	Pioneer38

02/18/05			Build Location, 95% complete	Pioneer38
02/21/05			Build Location, 95% complete	Pioneer38
02/22/05			Build Location, 95% complete	Pioneer38
02/23/05			Build Location, 95% complete	Pioneer38
02/24/05			Build Location, 95% complete	Pioneer38
02/25/05			Build Location, 95% complete	Pioneer38
02/28/05			Build Location, 95% complete	Pioneer38
03/01/05			Build Location, 95% complete	Pioneer38
03/02/05			Build Location, 95% complete	Pioneer38
03/03/05			Build Location, 95% complete	Pioneer38
03/04/05			Build Location, 95% complete	Pioneer38
03/07/05			Build Location, 95% complete	Pioneer38
03/08/05			Build Location, 95% complete	Pioneer38
03/09/05			Build Location, 95% complete	Pioneer38
03/10/05			Build Location, 95% complete	Pioneer38
03/11/05			Build Location, 95% complete	Pioneer38
03/14/05			Build Location, 95% complete	Pioneer38
03/15/05		14" @ 40'	WOAR	Pioneer38
03/16/05		14" @ 40'	WOAR	Pioneer38
03/17/05		14" @ 40'	WOAR	Pioneer38
03/18/05		14" @ 40'	WOAR	Pioneer38
03/21/05	3/19/05	DA @ 1830'	MIAR and drill f/ 40'-1830'	Pioneer38
03/22/05	3/19/05	9 5/8" @ 1948'	Drill to 1990'. Set surf csg	Pioneer38
03/23/05	3/19/05	9 5/8" @ 1948'	Drill to 1990'. Set surf csg	Pioneer38
03/24/05	3/19/05	9 5/8" @ 1948'		Pioneer38
03/25/05	3/19/05	9 5/8" @ 1948'		Pioneer38
03/28/05	3/19/05	9 5/8" @ 1948'	WORT	Pioneer38

03/29/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
03/30/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
03/31/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/01/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/04/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/05/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/06/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/07/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/08/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/07/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/08/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/11/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/12/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/13/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/14/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/15/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/18/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/19/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/20/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/21/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/22/05	3/19/05	9 5/8" @ 1948'	WORT Pioneer38
04/25/05	TD: 3010' Csg. 9 5/8" @ 1948' MW: 8.3 SD: 4/24/05 DSS: 1 Move rig from Federal 1022-15J to Federal 1022-15F. Could not get rig over access road. Move to CIGE 292. Rig up rotary tools. NU and test BOPE. Pick up 7 7/8" PDC bit and Mud Motor and drill cement and FE. Rotary spud @ 1100 hrs 4/24/05. Drill from 1948'-3010'. DA @ report time.		
04/26/05	TD: 4555' Csg. 9 5/8" @ 1948' MW: 8.4 SD: 4/24/05 DSS: 2 Drill and survey from 3010'-4555'. DA @ report time.		
04/27/05	TD: 5411' Csg. 9 5/8" @ 1948' MW: 9.0 SD: 4/24/05 DSS: 3 Drill and survey from 4555'-5411'. Close in mud system and mud up to control gas. Pump pill and TFNB @ report time.		

04/28/05 TD: 5474' Csg. 9 5/8" @ 1948' MW: 9.2 SD: 4/24/05 DSS: 4
Finish TFNB. RIH and bridged out @ 3474'. Wash and ream to 4274'. Bit stuck. Work free and continue W&R to 4587' @ report time.

04/29/05 TD: 6021' Csg. 9 5/8" @ 1948' MW: 9.7 SD: 4/25/05 DSS: 4
Continue W&R from 4587'- 5474'. Drill to 6021'. DA @ report time.

05/02/05 TD: 7767' Csg. 9 5/8" @ 1948' MW: 10.6 SD: 4/25/05 DSS: 7
Drill from 6021'-7767'. DA @ report time. Top of MV @ 6731'.

05/03/05 TD: 8055' Csg. 9 5/8" @ 1948' MW: 11.0 SD: 4/25/05 DSS: 8
Drill from 7767'-8055'. DA @ report time.

05/04/05 TD: 8340' Csg. 9 5/8" @ 1948' MW: 11.7 SD: 4/25/05 DSS: 10
Drill from 8295'-8340'. TFNB and MM. Tagged bridge at 4207' on TIH. W & R from 4207'-4390. Wash and ream @ report time.

05/06/05 TD: 8431' Csg. 9 5/8" @ 1948' MW: 11.5 SD: 4/25/05 DSS: 11
Wash and ream through tight hole, 7470' - 8340' Drill 8340'- 8431' @ report time.

05/09/05 TD: 8893' Csg. 9 5/8" @ 1948' MW: 12.2 SD: 4/25/05 DSS: 15
Drill 8431'- 8481'. TFNB. Drill f/ 8481'-8893'. CCH and short trip for logs. POOH. RU and run logs with loggers reaching 8709'. Logs had difficulty getting below 7700'. TIH @ report time.

05/10/05 TD: 8893' Csg. 9 5/8" @ 1948' MW: 12.2 SD: 4/25/05 DSS: 16
Finish TIH. CCH and POOH laying down BHA and DP. Run 4.5" production casing and CCH. Cementing casing @ report time.

05/11/05 TD: 8893' Csg. 9 5/8" @ 1948' MW: 12.2 SD: 4/25/05 DSS: 17
Finished cementing 4.5" casing. Set slips, NDBOP, cut casing, clean pits, and rig down. Released rig at 1200 hrs on 5/10/05. Moving to Federal 1022-15F @ report time.

05/23/05 PROG: 7:00 AM HELD SAFETY MEETING. RD RIG ROAD RIG FROM NBU 921-12C TO CIGE 292. SPOT EQUIPMENT & RU RIG, ND WH NU BOP'S PU TALLY & DRIFT 75 JTS 2-3/8" J-55 TBG EOT @ 2414'. SWI SDFWE 4:00 PM.

05/24/05 PROG: 6:00 AM HELD SAFETY MEETING. CONT PU TBG TALLY & DRIFT OFF TRAILER. TAG PBTD W/274 JTS OF 2-3/8" J-55 TBG: PBTD @ 8,836', RU RIG PMP CICR WL CLEAN. PMP 42 BBLs POOH LD 30 JTS OF 2-3/8" J-55 TBG S/B 244 JTS SWI SDFN 3:00 PM. TOTAL JTS ON LOC: 275.

05/25/05 PROG: 7:00 AM HELD SAFETY MEETING. MIRU CUTTERS TO RUN A CEMENT BOND LOG & PERF. RIH W/CBL TOOL TAG PBTD @ 8,843' LOG TO SURFACE CEMENT, OK. MIRU B&C QUICK TEST. PRESS TEST CSG & BOP'S TO 7,500# BOTTOM & TOP RAMS GOOD TEST.

STAGE 1: PU & RIH W/3-3/8" EXP GUNS 23 GRM .35 HOLES 90 DEG PHASING & PERF 8550' - 8554' 4SPF, 8444' - 8448' 4SPF, & 8350' - 8354' 4SPF (48 HOLES). MIRU SCHLUMBERGER TO FRAC PRESS TEST SURFACE LINES TO 8650# BRK 3586#, 3.5 BPM, ISIP: 2500#, FG: .73, PMP 129 BBLs 2% W/SCALE INHIBITOR @ 43 BPM @ 6140# = 40 OF 48 HOLES OPEN. MP: 6144#, MR: 46.1 BPM, AP: 4526#, AR: 41.3 BPM, ISIP: 3860#, FG: .89, NPI: 1360#, PMP 1574 BLS YF 120 ST+ 169,700 # 20/40 SD 250 # PROPNET IN THE LAST 10% OF SD.

STAGE 2: PU & RIH W/3-3/8" EXP GUNS 23 GRM .35 HOLES 90 DEG PHASING & CPB SET 5K BAKER CBP @ 8250' & PERF 8104' - 8110' 4SPF, 8188' - 8194' 4SPF, (48 HOLES) SWI SDFN 8:30 PM.

05/26/05

PROG: 7:00 AM HELD SAFETY MEETING.

STAGE 2: WHP: 450#, BRK 3507#, 6.5 BPM, ISIP: 2200#, FG: .71, PMP 15 BBLS 2% KCL @ 52.5 BPM @ 6000# 39 OF 48 HOLES OPEN, MP: 6069#, MR: 52.5 BPM, AP: 4930#, AR: 49.5 BPM, ISIP: 3580#, FG: .87, NPI: 1380#, PMP 1113 BLS YF 120 ST+ 138,300# 20/40 SD 200# PROPNET IN THE LAST 10% OF SD.

STAGE 3: PU & RIH W/3-3/8" EXP GUNS 23 GRM .35 HOLES 90 & 120 DEG PHASING & CPB PERF 7478' - 7482' 3 SPF, 7730' - 7736' 4SPF, (36 HOLES) SET 5K BAKER CBP @ 7770' BRK 7500#, 5.5 BPM, ISIP: 2066#, FG: .71, PMP 12 BBLS 2% KCL @ 32.7 BPM @ 5000# 32 OF 36 HOLES OPEN, MP: 5022#, MR: 33.3 BPM, AP: 3970#, AR: 31.8 BPM, ISIP: 3050#, FG: .83, NPI: 984#, PMP 838 BLS YF 120 ST+ 100,000 # 20/40 SD 150 # PROPNET IN THE LAST 10% OF SD.

STAGE 4: PU & RIH W/3-3/8" EXP GUNS 23 GRM .35 HOLES 90 DEG PHASING & CPB PERF 7030' - 7034' 4 SPF, 7140' - 7144' 4SPF, (32 HOLES) SET 5K BAKER CBP @ 7176' BRK 3566#, 5.0 BPM, ISIP: 1927#, FG: .71, PMP 14 BBLS 2% KCL @ 30 BPM @ 4280# 26 OF 32 HOLES OPEN MP: 4239#, MR: 30.1 BPM, AP: 3287#, AR: 29.2 BPM, ISIP: 3160#, FG: .88, NPI: 1233#, PMP 844 BLS YF 118 ST+ 101,200 # 20/40 SD 150# PROPNET IN THE LAST 10% OF SD.

STAGE 5: PU & RIH W/3-3/8" EXP GUNS 23 GRM .35 HOLES 90 DEG PHASING & CPB PERF 6708' - 6714' 4 SPF, 6936' - 6940' 4SPF, (40 HOLES) SET 5K BAKER CBP @ 6970' BRK 3092#, 6.5 BPM, ISIP: 1574#, FG: .67, PMP 15 BBLS 2% KCL @ 36 BPM @ 4300# 33 OF 40 HOLES OPEN MP: 6056#, MR: 36.4 BPM, AP: 3620#, AR: 35.2 BPM, ISIP: 2905#, FG: .86, NPI: 1331#, PMP 1093 BLS YF 118 ST+ 138,400 # 20/40 SD 200# PROPNET IN THE LAST 10% OF SD.

STAGE 6: PU & RIH W/3-3/8" EXP GUNS 23 GRM .35 HOLES 90 DEG PHASING & CPB PERF 5816' - 5820', 5924' - 5928', & 6064' - 6068' 4SPF, (48 HOLES) SET 5K BAKER CBP @ 6106' BRK 2154#, 6.1 BPM, ISIP: 1265#, FG: .65, PMP 17 BBLS 2% KCL @ 50 BPM @ 4200# 39 OF 48 HOLES OPEN MP: 4402#, MR: 52.8 BPM, AP: 3355#, AR: 50.8 BPM, ISIP: 2065#, FG: .78, NPI: 800#, PMP 2016 BLS YF 118 ST+ 272,000 # 20/40 SD 400 # PROPNET IN THE LAST 10% OF SD

STAGE 7: PU & RIH W/3-3/8" EXP GUNS 23 GRM .35 HOLES 90 DEG PHASING & CPB PERF 4778' - 4784', & 5284' - 5290' 4SPF, (48 HOLES) SET 5K BAKER CBP @ 5320' BRK 1650#, 6.4 BPM, ISIP: 430#, FG: .52, AFTER 1 MINUTE PSI 0, PMP 20 BBLS 2% KCL @ 51 BPM @ 3200# 30 OF 48 HOLES OPEN MP: 3878#, MR: 55.4 BPM, AP: 3489#, AR: 53.3 BPM, ISIP: 2517#, FG: .99, NPI: 2067#, PMP 1507 BLS YF 118 ST+ 202,500 # 20/40 SD 300 # PROPNET IN THE LAST 10% OF SD (KILL PLG) RIH SET 5K BAKER PLG @ 4740' RDMO CUTTERS & SCHLUMBERGER SWI SDFN 7:00 PM.

05/27/05

PROG: 7:00 AM HELD SAFETY MEETING. RIH W/147 JTS 2-3/8" J-55 TBG. RU PWR SWVL BRK CIRC W/RIG PMP CO 20' SD TAG 1ST PLG @ 4740' DRL IN 10 MINUTES 200# INCREASE RIH & C/O 35' OF SD TAG 2ND PLG @ 5320' DRL PLG IN 10 MIN 500# INCREASE RIH & C/O 25' OF SD TAG 3RD PLG @ 6106' DRL PLG IN 8 MIN 100# INCREASE RIH & C/O 91' OF SD TAG 4TH PLG @ 6970' DRL PLG IN 10 MIN 400# INCREASE RIH & C/O 31' OF SD TAG 5TH PLG @ 7176' DRL PLG IN 10 MIN 200# INCREASE RIH & C/O 156' OF SD TAG 6TH PLG @ 7770' DRL PLG IN 12 MIN 900# INCREASE RIH & C/O 55' OF SD TAG 7TH PLG @ 8250' DRL PLG IN 10 MIN 400#

INCREASE RIH C/O TO PBTD @ 8760' RD PWR SWVL, POOH L/D 26 JTS 2-3/8" J-55 TBG
HANGE OFF TBG NDBOP'S DROP BALL FOR POBS NUWH PMP POBS OFF @ 1,500#
TURN WL OVER TO FLW TESTERS TLTR 6,969 BBLS, RIG RECOVERY 2700 BBLS, LTR
4269 BBLS, EOT 7,991.27' 247 JTS.

05/31/05

PROG: 5/28/05: WELL ON FLOWBACK, FLOWBACK REPORT: CP: 1200#, TP: 1100#, 22/64
CHK, 55 BPWH, 24 HRS, SD: LIGHT, TTL BBLS FLWD: 1430, TODAYS LTR: 3,204 BBLS,
LOAD REC TODAY: 1430 BBLS, REMAINING LTR: 1,774 BBLS, TOTAL LOAD REC TO
DATE: 2,495 BBLS.

5/29/05: WELL ON FLOWBACK, FLOWBACK REPORT: CP: 1800#, TP: 1100#, 22/64 CHK,
45 BWPH, 24 HRS, SD: TRACE, TTL BBLS FLWD: 1115, TODAYS LTR: 1774 BBLS, LOAD
REC TODAY: 1,115 BBLS, REMAINING LTR: 659 BBLS, TOTAL LOAD REC TO DATE:
3,610 BBLS.

5/30/05: WELL ON FLOWBACK, FLOWBACK REPORT: CP: 1675#, TP: 1000#, 22/64 CHK,
25 BWPH, 24 HRS, SD: TRACE, TTL BBLS FLWD: 900, TODAYS LTR: 659 BBLS, LOAD
REC TODAY: 900 BBLS, REMAINING LTR: -241 BBLS, TOTAL LOAD REC TO DATE:
4,510 BBLS.

5/31/05: WELL ON FLOWBACK, FLOWBACK REPORT: CP: 1650#, TP: 1050#, 20/64 CHK,
20 BWPH, 24 HRS, SD: TRACE, TTL BBLS FLWD: 495, TODAYS LTR: 495 BBLS,
REMAINING LTR: -789 BBLS, TOTAL LOAD REC TO DATE: 5,005 BBLS.

06/01/05

PROG: WELL ON FLOWBACK, FLOWBACK REPORT: CP: 1550#, TP: 950#, 20/64 CHK, 20
BWPH, 24 HRS, SD: TRACE, TTL BBLS FLWD: 480, TODAYS LTR: 1,964 BBLS, LOAD
REC TODAY: 480 BBLS, REMAINING LTR: 1,484 BBLS, TOTAL LOAD REC TO DATE:
5,485 BBLS.

06/02/05

PROG: WELL WENT ON SALES, 6/1/05, 9:30 AM. 1400 MCF, 24/64 CHK, SICP: 1590#, FTP:
1210#, 28.5 BWPH. FINAL REPORT FOR COMPLETION.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0137
Expires: November 30, 2000

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.
UTU-01196E

1a. Type of Well ☐ Oil Well ☒ Gas ☐ Dry Other
b. Type of Completion: ☒ New ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.
Other _____

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.
NATURAL BUTTES UNIT

8. Lease Name and Well No.
CIGE 292

9. API Well No.
43-047-34871

2. Name of Operator
WESTPORT OIL & GAS COMPANY L.P.

3. Address
1368 SOUTH 1200 EAST VERNAL, UTAH 84078

3a. Phone No. (include area code)
(435)-781-7024

4. Location of Well (Report locations clearly and in accordance with Federal requirements)*

At surface SESE 149'FSL & 1062'FEL

At top prod. interval reported below

10. Field and Pool, or Exploratory
NATURAL BUTTES

11. Sec., T., R., M., or Block and
Survey or Area SEC 8-T10S-R22E

12. County or Parish
UINTAH

13. State
UTAH

At total depth

14. Date Spudded
03/12/05

15. Date T.D. Reached
05/09/05

16. Date Completed
☐ D & A ☒ Ready to Prod.
06/01/05

17. Elevations (DF, RKB, RT, GL)*
5205'GL

18. Total Depth: MD 8893'
TVD

19. Plug Back T.D.: MD 8836'
TVD

20. Depth Bridge Plug Set: MD
TVD

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)

22. Was well cored? ☒ No ☐ Yes (Submit copy)
Was DST run? ☒ No ☐ Yes (Submit copy)
Directional Survey? ☒ No ☐ Yes (Submit copy)

CBL-CCL-GR

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
20"	14"	54#		40'		28 SX			
12 1/4"	9 5/8"	32.3#		1990'		985 SX			
7 7/8"	4 1/2"	11.6#		8893'		1690 SX			

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Set (MD)
2 3/8"	7991'							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) WASATCH	4778'	6068'	4778'-6068'	0.35	96	OPEN
B) MESAVERDE	6708'	8554'	6708'-8554'	0.35	204	OPEN
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and type of Material
4778'-6068'	PMP 1524 BBLs YF118ST & 474,500# 20/40 JORDAN SD
6708'-8554'	PMP 5462 BBLs YF118ST & 647,600# 20/40 JORDAN SD

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
06/01/05	06/02/05	24	→	0	1,553	540			FLOWS FROM WELL
Choke Size	Tbg. Press. Flwg. 651#	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Well Status	
24/64	SI	1277#	→	0	1553	540			PRODUCING GAS WELL

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
06/01/05	06/02/05	24	→	0	1553	540			FLOWS FROM WELL
Choke Size	Tbg. Press. Flwg. 651#	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Well Status	
24/64	SI	1277#	→	0	1553	540			PRODUCING GAS WELL

RECEIVED
JUN 28 2005

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

29. Disposition of Gas (*Sold, used for fuel, vented, etc.*)

SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top
					Meas. Depth
WASATCH MESAVERDE	4336' 6794'	6794'			

32. Additional remarks (include plugging procedure):


33. Circle enclosed attachments:

1. Electrical/Mechanical Logs (1 full set req'd.) 2. Geologic Report 3. DST Report 4. Directional Survey
5. Sundry Notice for plugging and cement verification 5. Core Analysis 7. Other:

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) SHEILA UPCHEGOTitle REGULATORY ANALYST

Signature

Date 6/21/2005

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE – Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SESE SECTION 8-T10S-R22E 149'FSL & 1062'FEL

5. Lease Serial No.

UTU-01196E

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

NATURAL BUTTES UNIT

8. Well Name and No.

CIGE 292

9. API Well No.

43-047-34871

10. Field and Pool, or Exploratory Area

NATURAL BUTTES

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input checked="" type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

8/30/05: PMP 4 DRUMS OF 15% HCL ACID DOWN TBG W/20 BBLS FLUSH.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Sheila Upchego

Signature

Title

Regulatory Analyst

Date

October 27, 2005

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

RECEIVED

NOV 02 2005

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ

2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

1/6/2006

FROM: (Old Operator):

N2115-Westport Oil & Gas Co., LP
 1368 South 1200 East
 Vernal, UT 84078
 Phone: 1-(435) 781-7024

TO: (New Operator):

N2995-Kerr-McGee Oil & Gas Onshore, LP
 1368 South 1200 East
 Vernal, UT 84078
 Phone: 1-(435) 781-7024

CA No.		Unit:		NATURAL BUTTES UNIT				
WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 5/10/2006
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 5/10/2006
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 3/7/2006
- a. Is the new operator registered in the State of Utah: YES Business Number: 1355743-0181
- b. If **NO**, the operator was contacted on: _____
- 5a. (R649-9-2)Waste Management Plan has been received on: IN PLACE
- 5b. Inspections of LA PA state/fee well sites complete on: n/a 3 LA wells & all PA wells transferred
- 5c. Reports current for Production/Disposition & Sundries on: ok
- 6. Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 3/27/2006 BIA not yet
- 7. Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 3/27/2006
- 8. Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
- 9. Underground Injection Control ("UIC")** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: _____

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 5/15/2006
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 5/15/2006
- Bond information entered in RBDMS on: 5/15/2006
- Fee/State wells attached to bond in RBDMS on: 5/16/2006
- Injection Projects to new operator in RBDMS on: _____
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a Name Change Only

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: CO1203
- Indian well(s) covered by Bond Number: RLB0005239
- (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number RLB0005236
- a. The **FORMER** operator has requested a release of liability from their bond on: n/a rider added KMG
The Division sent response by letter on: _____

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: 5/16/2006

COMMENTS:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

KERR-McGEE OIL & GAS ONSHORE LP

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

☐ Acidize

☐ Alter Casing

☐ Casing Repair

☐ Change Plans

☐ Convert to Injection

☐ Deepen

☐ Fracture Treat

☐ New Construction

☐ Plug and Abandon

☐ Plug Back

☐ Production (Start/Resume)

☐ Reclamation

☐ Recomplete

☐ Temporarily Abandon

☐ Water Disposal

☐ Water Shut-Off

☐ Well Integrity

☒ Other **CHANGE OF OPERATOR**

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

PLEASE BE ADVISED THAT KERR-McGEE OIL & GAS ONSHORE LP, IS CONSIDERED TO BE THE OPERATOR OF THE ATTACHED WELL LOCATIONS. EFFECTIVE JANUARY 6, 2006.

KERR-McGEE OIL & GAS ONSHORE LP, IS RESPONSIBLE UNDER TERMS AND CONDITIONS OF THE LEASE(S) FOR THE OPERATIONS CONDUCTED UPON LEASE LANDS. BOND COVERAGE IS PROVIDED BY STATE OF UTAH NATIONWIDE BOND NO. RLB0005237.

RECEIVED

MAY 10 2006

DIV. OF OIL, GAS & MINING

BLM BOND = C01203

BIA BOND = RLB0005237

APPROVED 5/16/06

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

RANDY BAYNE

Title

DRILLING MANAGER

Signature

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.

MULTIPLE LEASES

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

MUTIPLE WELLS

9. API Well No.

10. Field and Pool, or Exploratory Area

11. County or Parish, State

UINTAH COUNTY, UTAH

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEE ATTACHED

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other CHANGE OF OPERATOR
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

EFFECTIVE JANUARY 6, 2006, WESTPORT OIL & GAS COMPANY L.P., HAS RELINQUISHED THE OPERATORSHIP OF THE ATTACHED WELL LOCATIONS TO KERR-McGEE OIL & GAS ONSHORE LP.

APPROVED 5/16/06

Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED

MAY 10 2006

DIV OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

BRAD LANEY

Signature

Title

ENGINEERING SPECIALIST

Date

May 9, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Brad Laney

Title

Office

Date

5-9-06

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)



United States Department of the Interior

BUREAU OF LAND MANAGEMENT
Colorado State Office
2850 Youngfield Street
Lakewood, Colorado 80215-7076

IN REPLY REFER TO:

CO922 (MM)
3106
COC017387 et. al.

March 23, 2006

NOTICE

Kerr-McGee Oil & Gas Onshore L.P. :
1999 Broadway, Suite 3700 : Oil & Gas
Denver, CO 80202 :

Merger/Name Change - Recognized

On February 28, 2006 this office received acceptable evidence of the following mergers and name conversion:

Kerr-McGee Oil & Gas Onshore L.P., a Delaware Limited Partnership, and Kerr-McGee Oil & Gas Onshore LLC, a Delaware Limited Partnership merger with and into Westport Oil and Gas Company L.P., a Delaware Limited Partnership, and subsequent Westport Oil & Gas Company L.P. name conversion to Kerr-McGee Oil & Gas Onshore L.P.

For our purposes the merger and name conversion was effective January 4, 2006, the date the Secretary of State of Delaware authenticated the mergers and name conversion.

Kerr-McGee Oil & Gas Onshore L.P. provided a list of oil and gas leases held by the merging parties with the request that the Bureau of Land Management change all their lease records from the named entities to the new entity, Kerr-McGee Oil & Gas Onshore L.P. In response to this request each state is asked to retrieve their own list of leases in the names of these entities from the Bureau of Land Management's (BLM) automated LR2000 data base.

The oil and gas lease files identified on the list provided by Kerr-McGee Oil & Gas Onshore L.P. have been updated as to the merger and name conversion. We have not abstracted the lease files to determine if the entities affected by the acceptance of these documents holds an interest in the lease, nor have we attempt to identify leases where the entity is the operator on the ground that maintains vested record title or operating rights interests. If additional documentation, for change of operator, is required you will be contacted directly by the appropriate Field Office. The Mineral Management Services (MMS) and other applicable BLM offices were notified of the merger with a copy of this notice

Please contact this office if you identify additional leases where the merging party maintains an interest, under our jurisdiction, and we will document the case files with a copy of this notice. If the leases are under the jurisdiction of another State Office that information will be forwarded to them for their action.

Three riders accompanied the merger/name conversion documents which will add Kerr-McGee Oil and Gas Onshore LLC as a principal to the 3 Kerr-McGee bonds maintained by the Wyoming State Office. These riders will be forward to them for their acceptance.

The Nationwide Oil & Gas Continental Casualty Company Bond #158626364 (BLM Bond #CO1203), maintained by the Colorado State Office, will remain in full force and effect until an assumption rider is accepted by the Wyoming State Office that conditions their Nationwide Safeco bond to accept all outstanding liability on the oil and gas leases attached to the Colorado bond.

If you have questions about this action you may call me at 303.239.3768.

/s/Martha L. Maxwell
Martha L. Maxwell
Land Law Examiner
Fluid Minerals Adjudication

Attachment:

List of OG Leases to each of the following offices:

MMS MRM, MS 357B-1

WY, UT, NM/OK/TX, MT/ND, WY State Offices


CO Field Offices

Wyoming State Office

Rider #1 to Bond WY2357

Rider #2 to Bond WY1865

Rider #3 to Bond WY1127



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office
P.O. Box 45155
Salt Lake City, UT 84145-0155
<http://www.blm.gov>



IN REPLY REFER TO:
3106
(UT-922)

March 27, 2006

Memorandum

To: Vernal Field Office

From: Chief, Branch of Fluid Minerals

Subject: Merger Approval

Attached is an approved copy of the merger recognized by the Bureau of Land Management, Colorado State Office. We have updated our records to reflect the merger from Westport Oil and Gas Company L.P. into Kerr-McGee Onshore Oil and Gas Company. The merger was approved effective January 4, 2006.

Chief, Branch of
Fluid Minerals

Enclosure

Approval letter from BLM COSO (2 pp)

cc: MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225
State of Utah, DOGM, Attn: Earlene Russell, PO Box 145801, SLC UT 84114
Teresa Thompson
Joe Incardine
Connie Seare
Dave Mascarenas
Susan Bauman

RECEIVED

MAR 28 2006

DIV. OF OIL, GAS & MINERALS

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

WESTPORT OIL & GAS COMPANY L.P.

3a. Address

1368 SOUTH 1200 EAST VERNAL, UT 84078

3b. Phone No. (include area code)

(435) 781-7024

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SESE SEC 8, T10S, R22E 149'FSL, 1062'FEL

5. Lease Serial No.

U-01196-E

6. If Indian, Allottee or Tribe Name

7. If Unit or CA Agreement, Name and/or No.

NATURAL BUTTES UNIT

8. Well Name and No.

CIGE 292

9. API Well No.

4304734871

10. Field and Pool, or Exploratory Area

NATURAL BUTTES

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other MAINTENANCE	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

02/21/06 PROG: MIRU BLOW WL DOWN KILL W/10 BBL 2% NDN TREE, NIPPLE BOP TRY TO UNLAND TBG, HANGER STUCK IN WL HEAD, CALL F/JARS PU JARS JAR HANGER FREE LD TOOLS. POOH W/2-3/8 SCALE IN ID @ 5100'. LD 89 JTS, SCALE UP TBG.

02/22/06 PROG: KILL WL W/60 BBL 2% PU MILL & POBS RIH (SLM) PICK UP 110 JTS TAG @ 8440' RIG UP SWIVEL AIR FOAM UNIT C/O SD & SCALE TO 8900' CIRC CLEAN POOH & LD 30 JTS HANG TBG ON WL HEAD W/235 JTS EOT 7596.69. ND BOP, NU TREE. RD.

TBG DETAIL

KB	15.00
HANGER	1.00
235 JTS 2,3/8 J-55 TBG	7579.27
POBS F-EDDIE	1.42
EOT	7596.69

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Sheila Upchego

Title

Regulatory Analyst

Signature

Date

March 28, 2006

THIS SPACE FOR FEDERAL OR STATE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

RECEIVED

APR 04 2006

DIV. OF OIL, GAS & MINING